

MISSISSIPPI STATE DEPARTMENT OF HEALTH

50 × 119 10 world 4

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Public Water Supply Name

Public Water Supply Name

Public Water Supply Name

Public Water Systems Covered by this CCR

Public Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
☐ Advertisement in local paper On water bills ☐ Other
Date customers were informed: (p 12/1)
CCR was distributed by mail or other direct delivery. Specify other direct delivery methods
Date Mailed/Distributed: / /
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
Name of Newspaper:
Date Published:/_/
CCR was posted in public places. (Attach list of locations)
Date Posted 07/10
CCR was posted on a publicly accessible internet site at www.

CERTIFICATION

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Name/Title (President, Mayor, Owner, etc.)

V ZZ V O


Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

570 East Woodrow Wilson 601-576-8090

Post Office Box 1700

x 1700 Jackson, MS 39215-1700

2008 Annual Drinking Water Quality Report 2010 JUII 1 PWS# 680034, 680035, 600010, 600013 and 600018 2010 JUII 1 PWS# 680034, 680035, 600010, 600013



We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is purchased from the Towns of Lambert, Tutwiler and Crowder which have wells drawing from the Lower Wilcox and the Meridian Upper Wilcox Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Towns of Lambert, Tutwiler and Crowder have received a moderate to higher susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact A. T. Adams at 662.326.7734. We want our valued customers to be informed about their water utility. If you want to learn more, please attend the meetings scheduled for the first week of the month at 5:30 PM at 7600 HWY 3 South, Lambert MS 38643.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2008. In cases where monitoring wasn't required in 2008, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

L MY S ID#:	UUQUU3 4	- 5 Qu	tuian –	E Tutwiler	system	I IL	21 KE	SULTS		
Contaminant Violation Y/N				Level Range of Detects Unit Detected or # of Samples Measure Exceeding ment MCL/ACL		MCLG	MCL		Likely Source of Contamination	
Inorganic	Contami	inants								
10. Barium	N	2008	.002	No Range	ppm	2	2	discharge fro	of drilling wastes; rom metal refineries atural deposits	

13. Chromium	N	2008	2	No Range	ppb		100	1	100	mills; erosion	om steel and pulp of natural deposits
14. Copper	N	2008	.3	0	ppm		1.3	AL=	1.3	Corrosion of systems; ero	household plumbing sion of natural ching from wood
16. Fluoride**	N	2008	.257	No Range	ppm		4		4	additive whic	itural deposits; wate h promotes strong rge from fertilizer n factories
17. Lead	N	2008	2	0	ppb		0	AL=	:15		household plumbing sion of natural
21. Selenium	N	2008	1.2	No Range	ppb		50		50	metal refineri	m petroleum and es; erosion of its; discharge from
Disinfectio	n By-P	roducts								······································	
81. HAA5	N	2008	15	No Range	ppb	0		60		-Product of dri infection.	nking water
82. TTHM [Total trihalomethanes]	N	2008	30.53	No Range	ppb	0)	80		-product of drig lorination.	nking water
Chlorine	N	2008	2.7	.25- 2.7	ppm	0	MRI)L = 4	Water additive u		ed to control
PWS ID#: Contaminant	068003 Violation Y/N		Level	Range of Dete	ects Ur les Meas	nit N sure-	TES	ST R		SULTS MCL	Likely Source of Contamination
	Violation	Date	Level	Range of Dete	ects Ur les Meas	nit N sure-		ST R			1 . •
Contaminant	Violation Y/N	Date Collecte	Level	Range of Dete or # of Samp Exceeding	ects Ur les Meas	nit N sure-		ST R] · ·
Contaminant Inorganic (Violation Y/N	Date Collecte	Level	Range of Dete or # of Samp Exceeding	ects Ur les Meas	nit N sure-		ST R		ACL Discharge of	Contamination drilling wastes; n metal refineries;
Contaminant Inorganic (Violation Y/N	Date Collecte	Level Detected	Range of Dete or # of Samp Exceeding MCL/ACL	ects Ur les Meas me	nit N sure-	ACLG		N	Discharge of discharge from erosion of nat Discharge from	Contamination drilling wastes; n metal refineries;
Inorganic (10. Barium)	Violation Y/N Contan	Date Collecte ninants 2008	Level Detected	Range of Dete or # of Samp Exceeding MCL/ACL No Range	pects Ur les Meas me	nit N sure-	ACLG		2 000 4	Discharge of discharge from the	drilling wastes; m metal refineries; ural deposits m steel and pulp of natural deposits ural deposits; ural deposits; ural deposits; ge from fertilizer
Inorganic (10. Barium) 13. Chromium 16. Fluoride**	Violation Y/N Contant N	Date Collecte ninants 2008	Level Detected	Range of Dete or # of Samp Exceeding MCL/ACL No Range No Range	pects Ur Meas me	nit N sure-	2 100		2 000 4 15	Discharge of discharge from erosion of nat Discharge from mills; erosion Erosion of nat additive which teeth; dischar and aluminum Corrosion of his systems, erosion.	drilling wastes; m metal refineries; ural deposits m steel and pulp of natural deposits ural deposits; water promotes strong ge from fertilizer a factories
Inorganic (10. Barium 13. Chromium 16. Fluoride**	Contant N	Date Collecte ninants 2008 2008	Level Detected	Range of Dete or # of Samp Exceeding MCL/ACL No Range No Range No Range	ppm ppm ppm	nit N sure-	2 100 4	1	2 000 4 15 50	Discharge of discharge from erosion of national discharge from mills; erosion Erosion of national additive which teeth; discharge and aluminum Corrosion of his systems, eroside posits.	drilling wastes; m metal refineries; ural deposits m steel and pulp of natural deposits; ural deposits ural deposits; ural deposits ural
Inorganic (10. Barium 13. Chromium 16. Fluoride** 17. Lead 21. Selenium	Violation Y/N Contain N N N N	Date Collecte ninants 2008 2008 2008 2008	Level Detected	Range of Dete or # of Samp Exceeding MCL/ACL No Range No Range No Range	ppm ppb ppb	nit N sure-	2 100 4 0	1	2 000 4 15 50	Discharge of discharge from erosion of national discharge from mills; erosion Erosion of national additive which teeth; discharge and aluminum Corrosion of his systems, eroside posits. Discharge from metal refinerie natural deposits	drilling wastes; m metal refineries; ural deposits m steel and pulp of natural deposits; ural deposits ural deposits; ural deposits; ural deposits ural deposits; ural deposits ura
	Violation Y/N Contan N N N N N N N N N N N N N	Date Collecte ninants 2008 2008 2008 2008 2008	.002 .257 .1 .1.2	Range of Dete or # of Samp Exceeding MCL/ACL No Range No Range No Range	ppm ppb ppb	nit N sure-	2 100 4 0 50	1	2 000 4 15 50	Discharge of discharge from erosion of nat Discharge from mills; erosion Erosion of nat additive which teeth; discharge and aluminum Corrosion of rosystems, eros deposits Discharge from metal refinerie natural deposition	drilling wastes; m metal refineries; ural deposits m steel and pulp of natural deposits ural deposits; water promotes strong ge from fertilizer n factories iousehold plumbing ion of natural m petroleum and es; erosion of tts; discharge from
Inorganic (10. Barium) 13. Chromium 16. Fluoride** 17. Lead 21. Selenium	Violation Y/N Contan N N N N N N N N N N N N N	Date Collecte ninants 2008 2008 2008 2008 2008	.002 .257 .1 .1.2	Range of Dete or # of Samp Exceeding MCL/ACL No Range No Range O No Range	ppm ppb ppb ppb	nit sure-	2 100 4 0	AL=	2 00 4 15 50 By- disi	Discharge of discharge from erosion of nat Discharge from mills; erosion Erosion of nat additive which teeth; discharge and aluminum Corrosion of respective of the position of the position of the position metal refinerie natural depositions.	drilling wastes; m metal refineries; ural deposits m steel and pulp of natural deposits ural deposits; water promotes strong ge from fertilizer n factories ion of natural m petroleum and s; erosion of tts; discharge from

Chlorine

N

2008

2.7

.25- 2.7

0

ppm

MRDL = 4

Water additive used to control

microbes

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detect or # of Samples Exceeding MCL/ACL		MCLG		MCL	Likely Source of Contamination
Inorganic	Contan	ninants							
8. Arsenic	N	2006*	.7	No Range	ppb	n/a	10	from orchards	ural deposits; runo ; runoff from glass s production waste
10. Barium	N	2006*	.044	.011044	ppm	2	2	,	drilling wastes; n metal refineries; ural deposits
13. Chromium	N	2006*	10	5 - 10	ppb	100	100	Discharge from	n steel and pulp of natural deposits
14. Copper	N	2008	.1	0	ppm	1.3	AL=1.3	Corrosion of h	ousehold plumbing
16. Fluoride**	N	2006*	.48	.2448	ppm	4	4	Erosion of natural deposits; wa additive which promotes strong teeth; discharge from fertilizer and aluminum factories	
17. Lead	N	2008	1	0	ppb	0	AL=15	Corrosion of h systems, eros deposits	ousehold plumbing ion of natural
21. Selenium	N	2006*	2	.8 - 2	ppb	50	50	metal refinerie	n petroleum and s; erosion of ts; discharge from
Disinfectio	n By-Pı	oducts							
81. HAA5	N :	2008	B N	o Range p	pb	0		/-Product of drinking water	
32. TTHM Total rihalomethanes]	N :	2008	1.11 N	o Range p	pb	0	80 B	y-product of drini norination.	king water
Chlorine	N :	2008	.05 .6	5 – 1.05 p	pm	0 MRI		= 4 Water additive used to co	

		·		N Tutwiler	, •	. ,		SULTS	· · · · · · · · · · · · · · · · · · ·
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL		Likely Source of Contamination
Inorganic	Contam	inants	_						
10. Barium	N	2008	.002	No Range	ppm	2	2		drilling wastes; n metal refineries; ural deposits
13. Chromium	N	2008	2	No Range	ppb	100	100	Discharge fro	m steel and pulp of natural deposits
14. Copper	N	2008	.3	0	ppm	1.3	AL=1.3	Corrosion of household plumbir systems; erosion of natural deposits; leaching from wood preservatives	
16. Fluoride**	N	2008	.257	No Range	ppm	4	4	additive which	ural deposits; water promotes strong ge from fertilizer factories
17. Lead	N	2008	1	0	ppb	0	AL=15	Corrosion of h systems, eros deposits	ousehold plumbing ion of natural

21. Selenium	N	2008	1.2	No Range	ppb		50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfectio	n By-	Produc	ts						
81. HAA5	N	2008	20	No Range	ppb	0			y-Product of drinking water sinfection.
82. TTHM [Total trihalomethanes]	N	2008	38	No Range	ppb	0			y-product of drinking water nlorination.
Chlorine	N	2008	2.7	.25- 2.7	ppm	0	MRDL:	. 1	/ater additive used to control icrobes

	1 1						<u> </u>		microbes	
PWS ID#:	060001	8-SQ	uitman -	- W Crowd	er Systei	m	TES	T RI	ESULTS	
Contaminant	Violation Y/N	Date Collecte	d Level Detected	Range of Detection or # of Sample Exceeding MCL/ACL		1	CLG		MCL	Likely Source of Contamination
Inorganic (Contan	ninants								
8. Arsenic	N	2006*	.8	No Range	ppb		n/a	1	from orchard	ntural deposits; runo s; runoff from glass cs production waste
10. Barium	N	2006*	.013	No Range	ppm		2		discharge fro	drilling wastes; m metal refineries; tural deposits
13. Chromium	N	2006*	9	6-9	ppb		100	10	Discharge from	m steel and pulp of natural deposits
16. Fluoride**	N	2006*	.38	No Range	ppm		4		4 Erosion of na additive which	tural deposits; wate h promotes strong rge from fertilizer
17. Lead	N	2008	8	0	ppb		0	AL=1		household plumbing sion of natural
19. Nitrate (as Nitrogen)	N	2008	.13	No Range	ppm		10	1	0 Runoff from f leaching from sewage; eros deposits	septic tanks,
20. Nitrite (as Nitrogen)	N	2008	.02	No Range	ppm		1		1 Runoff from f leaching from sewage; eros deposits	septic tanks,
21. Selenium	N	2006*	7	3-7	ppb		50	5	metal refineri	m petroleum and es; erosion of its; discharge from
22. Thallium		2006*	.5	No Range	ppb		0.5			n ore-processing ge from electronics ug factories
Disinfection	n By-P	roducts								
81. HAA5	N	2008	23	No Range	ppb	0	- 1		By-Product of dri	nking water
82. TTHM [Total trihalomethanes]	N	2008	64.93 N	No Range	ppb	0		80	By-product of drir chlorination.	nking water
Chlorine	N	2008	3 .	2 - 3ge	ppm	0	MRD		Water additive us	ed to control

^{*} Most recent sample.

** Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 07 - 1.3 mg/l.

indicator of whether or not our drinking water meets health standards. Beginning January 1, 2004, the Mississippi State Department of Health (MSDH) required public water systems that use chlorine as a primary disinfectant to monitor/test for chlorine residuals as required by the Stage 1 Disinfection By-Products Rule. Tutwiler failed to complete these monitoring requirements in Jan – Dec of 2004; Feb – Nov of 2005. Lambert failed to complete these monitoring requirements in August of 2006. Crowder failed to complete these monitoring requirements in November of 2004. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an samples prior to the end of the compliance period. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When our water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water ested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791. Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by syptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

***** MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

n accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) uspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Nater Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The South Quitman County Utilities works around the clock to provide top quality water to every tap. We ask that all our customers lelp us protect our water sources, which are the heart of our community, our way of life and our children's future.